

## 2012 Caterpillar AD55B UDT06



|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                 |       |              |                      |       |            |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-------|--------------|----------------------|-------|------------|
| <b>Make</b>         | Caterpillar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                 |       | <b>Model</b> | AD55B                |       |            |
| <b>Year</b>         | 2012                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Hours</b>                    | 20779 |              |                      | As at | 06/06/2018 |
| <b>Mileage</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                 |       |              | km                   | As at |            |
| <b>Serial/VIN</b>   | JNW00262                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                 |       |              | <b>Engine Serial</b> |       |            |
| <b>Details</b>      | 2012 Caterpillar AD55B UDT06.<br>YOM 2012 Serial no JNW00262 Frame Hours 20,779 as at 6/6/2018.<br>This truck has 4000 hours on SX torque converter & transmission and engine mid-life after extensively fire damage repairs at 16700 approx in late 2016 at an estimated cost of \$450,000 excl GST by Murray Engineering Kalgoorlie and is 9,070 hours since rebuild by Westrac at 11,712 hours completed January 2015 with ~\$720,000 excl GST scope of work. Fire Damage repair scope and rebuild repair scope as per GES Equipment Report<br><br>Lot 0379 offered running to drive on to buyers transport.<br>Sold via Online Auction ex Kambalda Western Australia. |                                 |       |              |                      |       |            |
| <b>Asking price</b> | AUD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Under review - call for pricing |       |              |                      |       |            |
| <b>Ex site</b>      | Australia, Western Australia, Kambalda                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                 |       |              |                      |       |            |

**Service  
history**

This truck was extensively damaged by Fire in July 2016 at 16700 approx and had the following work completed at an estimated cost fo \$450,000 excl GST by Murray Engineering Kalgoorlie

Fire Damage repair scope:

Engine mid-life, including replacement of rear main seal, turbos, bearing roll, reseal rear timing gear housing, water pump and a valve set.

Remove, service and refit engine cooler pack

Remove, overhaul and refit front axle assembly.

Service Exchange torque converter

Service exchange transmission

Strip and rebuild the cabin

Rebuild centre hitch, including line boring

Replace suspension cylinders and accumulators with service exchange items

Reseal all valves

Replace all machine electrical harnesses

Rehose the entire front frame, including burst and fire sleeving as per IGO specification

Repair covers, sandblast and paint front frame and cabin

Service and commission air conditioner

Replace fire suppression system with Sandvik SC110E

Machine rebuild completed by Westrac at 11,712 hours completed January 2015 with the scope of work as shown further on within this report at an estimated cost of \$720,000 excl GST

**For further details, to make an offer or book an inspection, contact  
Global Equipment Solutions on Office: 08 9201 1142**

















| Plant No | Date       | W/Ord Description                                                             | Work Type            | History Notes | SMU Readings |
|----------|------------|-------------------------------------------------------------------------------|----------------------|---------------|--------------|
| UDT06    | 10/03/2015 | CAT AD55B - Engine Changeout and Rebuild (Contractor)NEW_Engine_Ser_Number: L | Component Change out |               |              |
| UDT06    | 10/03/2015 | CAT AD55B - Torque Convertor Change Out (Contractor)                          | Component Change out |               |              |
| UDT06    | 14/07/2017 | CAT AD55B - Fuel Injectors Assy Changeout                                     | Component Change out |               |              |

# Independence Long Pty Ltd

Fleet no -

Model: AD55B

Serial no -

W/order no. - MR02930

Hours -

Revised: 19/01/2015



## Machine Rebuild

| Seg | Scope of work                     | Comments                      |
|-----|-----------------------------------|-------------------------------|
| 01  | Clean machine                     |                               |
| 02  | R/R dump body                     |                               |
| 03  | R/R wheels and tyres x 4          |                               |
| 04  | R/R/R guards                      |                               |
| 05  | Repair/weld guards                |                               |
| 06  | R/R front fenders                 |                               |
| 07  | Repair/weld front fenders         |                               |
| 08  | R/R hoist cylinders x 2           |                               |
| 09  | Overhaul hoist cylinders x 2      |                               |
| 10  | R/R/R radiator                    |                               |
| 11  | R/R/R air intake system           |                               |
| 12  | R/R/R exhaust system              |                               |
| 13  | R/R engine & torque converter     |                               |
| 14  | Overhaul engine                   | New Engine supplied ex Dealer |
| 15  | Overhaul torque converter         |                               |
| 16  | R/R/R drive-shafts x 2            |                               |
| 17  | R/R transmission gp.              |                               |
| 18  | Overhaul transmission             |                               |
| 19  | R/R f/drives & brakes x 2 - front |                               |
| 22  | Overhaul f/drive & brake gp - LF  |                               |
| 23  | Overhaul f/drive & brake gp - RF  |                               |
| 24  | R/R/R axle housing - front        |                               |
| 25  | Overhaul diff - front             |                               |
| 26  | R/R/R axle housing - rear         |                               |
| 28  | Overhaul diff - rear              |                               |
| 29  | R/R/R suspension gp.              |                               |
| 30  | Machine suspension gp.            |                               |
| 31  | Dis/assemble artic hitch gp.      |                               |
| 32  | Machine artic hitch gp.           |                               |
| 33  | R/R/R suspension accumulator gp.  |                               |



|    |                                                 |       |
|----|-------------------------------------------------|-------|
| 34 | R/R steering cylinders x 2                      |       |
| 35 | Overhaul steering cylinders x 2                 |       |
| 36 | R/R/R steering valves                           |       |
| 37 | R/R/R brake accumulators x 2                    |       |
| 38 | R/R f/drives & brakes x 2 - rear                |       |
| 39 | Overhaul f/drive & brake gp - LR                |       |
| 40 | Overhaul f/drive & brake gp - RR                |       |
| 41 | R/R/R brake valves - hydraulic                  |       |
| 43 | R/R/R hoist control valve gp.                   |       |
| 44 | Clean/flush fuel tanks x 2, replace fuel lines  |       |
| 45 | Repair/weld fuel tanks x 2                      |       |
| 46 | Clean/flush hydraulic tank                      |       |
| 47 | R/R/R filter housings                           |       |
| 49 | R/R front suspension cylinders x 2              |       |
| 50 | Overhaul front suspension cylinders x 2         |       |
| 51 | R/R cab                                         |       |
| 52 | Repair cab                                      |       |
| 53 | Repair/weld cab                                 |       |
| 54 | R/R/R air conditioner                           |       |
| 55 | Inspect/repair cab electrics (reuse harnesses)  |       |
| 56 | R/R hydraulic pumps                             |       |
| 57 | Overhaul steering pump gp.                      | Reman |
| 58 | Overhaul hoist/brake pump gp.                   | New   |
| 60 | Overhaul supp. steering pump                    | Reman |
| 61 | Overhaul brake release pump                     | New   |
| 62 | R/R/R hydraulic hoses and lines                 |       |
| 63 | R/R/R machine electrics (replace all harnesses) |       |
| 64 | Disassemble/assemble chassis frame(s)           |       |
| 65 | Repair/weld chassis frame(s)                    |       |
| 66 | Machine chassis frame(s)                        |       |
| 67 | R/R/R grease system                             |       |
| 68 | R/R/R fast fill system                          |       |
| 70 | R/R fire suppression system                     |       |
| 71 | Paint components                                |       |
| 72 | S/blast/crack-test comp. (excl. frame s/blast)  |       |
| 73 | Paint machine                                   |       |
| 74 | Unload/Load machine                             |       |
| 75 | Freight - parts only                            |       |
| 76 | Test machine                                    |       |
| 77 | Pre-deliver machine                             |       |

|    |                                       |                    |
|----|---------------------------------------|--------------------|
| 78 | Repair/weld dump body                 |                    |
| 79 | Machine dump body                     |                    |
| 80 | R/R reverse camera system             |                    |
| 81 | Carry out kidney looping process      |                    |
| 82 | Overhaul fan pump gp.                 | New                |
| 83 | Overhaul fan motor gp.                | Reman              |
| 85 | R/R/R payload system                  |                    |
| 88 | Paint dump body                       |                    |
| 94 | Deliver machine (on site)             |                    |
|    |                                       |                    |
| W1 | Caterpillar Powertrain warranty (EPP) | 24 mth / 10,000 hr |
|    |                                       |                    |
|    | Less WesTrac/Caterpillar parts rebate |                    |
|    |                                       |                    |

Enviro & consum.

Sub Total

#### Customer Options:

| Seg | Scope of work                             | Comments                        |
|-----|-------------------------------------------|---------------------------------|
| M1  | PS43957 - Hydraulic fan hoses             | Up to 10,000 hr/36 mth coverage |
| M2  | PS52245 - Cab dash panel                  | After failure only              |
| M3  | PS52287 - Air conditioner relay           | After failure only              |
| M4  | PS52373 - A/cond condenser brace          | After failure only              |
| M5  | PS52402 - Brake oil pressure switch       | After failure only              |
| M6  | PS52452 - Brake alert oil pressure switch | After failure only              |
| M7  | PS52472 - Supp. Steering diverter valve   | Excluded                        |
| M8  | PS52657 - Front suspension cyl pins       | After failure only              |
| M9  | REHS5862 - Exhaust heatshields            |                                 |
| N2  | REHS5867 - Brake cooling lines            |                                 |
| N3  | REHS5915 - DPF exhaust muffler (Cat)      | Excluded - customer             |
| N4  | REHS9580 - Rework fuel return line        |                                 |
| N5  | SEPD1518 - Steering hose clamps & sleeves |                                 |
| N6  | SEPD1673 - Trans filter hose sleeves      |                                 |
| N7  | SEPD1819 - Transmission input yoke        |                                 |



|    |                                           |  |
|----|-------------------------------------------|--|
| N8 | Exhaust back pressure gauge (excl. alarm) |  |
|    |                                           |  |
|    | Less WesTrac/Caterpillar parts rebate     |  |
|    |                                           |  |
|    |                                           |  |

Enviro & consum.

**Customer additions:**

| Seg | Scope of work                 | Comments |
|-----|-------------------------------|----------|
| 89  | Repair/weld oscillating hitch |          |
|     |                               |          |
|     |                               |          |
|     |                               |          |
|     |                               |          |

Grand Total

*All costings exclude GST*

**Exclusions -**

Wheel rim/tyre repairs

Major iron housings, spindles, shafts, cores etc

Hydraulic cylinder tubes/rods (other than listed)

Transport from/to site

| Plant No | Date       | W/Ord Description                                                                         | Work Type                | History Notes | SMU Readings |
|----------|------------|-------------------------------------------------------------------------------------------|--------------------------|---------------|--------------|
| UDT06    | 2/01/2014  | D/S air con faultMEMS W/O 122426                                                          | Preventative Maintenance |               | 7737         |
| UDT06    | 2/01/2014  | Daily seviceMEMS W/O 122440                                                               | Preventative Maintenance |               | 7737         |
| UDT06    | 3/01/2014  | D/S,C/O dimmer switchMEMS W/O 122462                                                      | Preventative Maintenance |               | 7755         |
| UDT06    | 4/01/2014  | Daily Service, check air con and order parts.MEMS W/O 122495                              | Preventative Maintenance |               | 7770         |
| UDT06    | 5/01/2014  | 250 Hour Service. Light switch on floor sticking, checkedoil leaks and sorted a part list | Preventative Maintenance |               | 7779         |
| UDT06    | 12/01/2014 | Test Air Con system, arrange partsMEMS W/O 122853                                         | Breakdown                |               | 7836         |
| UDT06    | 13/01/2014 | Change receiver dryer, pressure test and re charge Air Con.MEMS W/O 122854                | Corrective Maintenance   |               | 7853         |
| UDT06    | 13/01/2014 | Daily Service & fit tub leverMEMS W/O 122841                                              | Preventative Maintenance |               | 7853         |
| UDT06    | 18/01/2014 | INSTALL NEW DIESEL PARTICULATE FILTERMEMS W/O 122967                                      | Corrective Maintenance   |               | 7932         |
| UDT06    | 19/01/2014 | 1000 Hour Service. Mud flap has been ordered 3 times(2515409). Check exhaust bac          | Preventative Maintenance |               |              |
| UDT06    | 22/01/2014 | Daily Service & Fitted fire extinguisher bracketMEMS W/O 123155                           | Breakdown                |               |              |
| UDT06    | 23/01/2014 | Daily service, repaired seat retractor.MEMS W/O 123164                                    | Preventative Maintenance |               | 7990         |
| UDT06    | 26/01/2014 | Daily Service, A/Con Fault, us TX Valve.MEMS W/O 123273                                   | Preventative Maintenance |               | 8034         |
| UDT06    | 27/01/2014 | Air Con repairs, coolant leak, order parts not in stock.Straighten hand rail. MEMS W/O    | Breakdown                |               |              |
| UDT06    | 27/01/2014 | Daily Service, re fit exhaust elbow rear of muffler.MEMS W/O 123303                       | Preventative Maintenance |               |              |
| UDT06    | 28/01/2014 | Replaced A/C compressor & replaced RHR Turbo coolant line &RHR fuel line MEMS W/O         | Breakdown                |               | 8065         |
| UDT06    | 30/01/2014 | C/O A/C hosesMEMS W/O 123449                                                              | Breakdown                |               |              |
| UDT06    | 30/01/2014 | Replace worn & blown hoses A/CMEMS W/O 123445                                             | Breakdown                |               |              |
| UDT06    | 31/01/2014 | Daily service C/O reverse cameraMEMS W/O 123466                                           | Preventative Maintenance |               |              |
| UDT06    | 2/02/2014  | 250 Hour Service. Parts ordered to repair steering valve onLH side of trans (2260554,;    | Preventative Maintenance |               | 8106         |
| UDT06    | 7/02/2014  | Make up 3 x covers to protect air filter.MEMS W/O 123675                                  | Corrective Maintenance   |               | 8171         |
| UDT06    | 12/02/2014 | Daily Service, replace pressure switch on air con.MEMS W/O 123886                         | Preventative Maintenance |               | 8266         |
| UDT06    | 16/02/2014 | 250 Hour Service. RH Rear fuel line (Back of head) needsbraiding fitted to it, Ryco to    | Preventative Maintenance |               | 8314         |
| UDT06    | 20/02/2014 | Daily service, replaced tail light.MEMS W/O 124203                                        | Preventative Maintenance |               | 8380         |
| UDT06    | 26/02/2014 | D/S & trans faultMEMS W/O 124409                                                          | Preventative Maintenance |               | 8482         |
| UDT06    | 27/02/2014 | Daily service & repair seatMEMS W/O 124424                                                | Preventative Maintenance |               | 8500         |
| UDT06    | 2/03/2014  | 500 Hour Service. Front park light not working. Cut engineoil filters open & report on    | Preventative Maintenance |               | 8544         |
| UDT06    | 5/03/2014  | Welded up Diesel Particular FilterMEMS W/O 124655                                         | Breakdown                |               | 8586         |
| UDT06    | 8/03/2014  | Daily Service & Service code for fan coilMEMS W/O 124738                                  | Breakdown                |               | 8638         |
| UDT06    | 12/03/2014 | Daily service & C/O LHR park lightMEMS W/O 124889                                         | Preventative Maintenance |               | 8706         |
| UDT06    | 14/03/2014 | C/O blown globeMEMS W/O 124963                                                            | Breakdown                |               | 8740         |
| UDT06    | 16/03/2014 | 250 Hour Service. Valve 3107676 needs to be replaced Fancoil & valve for pump varia       | Preventative Maintenance |               | 8770         |
| UDT06    | 18/03/2014 | Daily Service & relaced RH indicatorMEMS W/O 125090                                       | Preventative Maintenance |               | 8795         |
| UDT06    | 19/03/2014 | Repaired Pos 1 tyreMEMS W/O 125128                                                        | Breakdown                |               | 8813         |
| UDT06    | 20/03/2014 | Removed condensation out of rear camera, checked loggedevents. MEMS W/O 125169            | Corrective Maintenance   |               | 8832         |
| UDT06    | 25/03/2014 | C/O low beam globeMEMS W/O 125378                                                         | Corrective Maintenance   |               | 8911         |
| UDT06    | 28/03/2014 | Daily Service unblock wiper nozzlesMEMS W/O 125460                                        | Preventative Maintenance |               | 8959         |
| UDT06    | 30/03/2014 | 1000 Hour Service. Radiator sight glass clean or changeit.. Coolant sight glass needs     | Preventative Maintenance |               | 8995         |
| UDT06    | 2/04/2014  | Tray repairs to both rear corners.MEMS W/O 125647                                         | Corrective Maintenance   |               |              |
| UDT06    | 4/04/2014  | No start fault.MEMS W/O 125715                                                            | Breakdown                |               | 9053         |
| UDT06    | 5/04/2014  | Daily Service, c/o park brake switch, not releasingMEMS W/O 125732                        | Preventative Maintenance |               |              |
| UDT06    | 6/04/2014  | Replace globeMEMS W/O 125755                                                              | Corrective Maintenance   |               | 9088         |
| UDT06    | 13/04/2014 | 250 Hour Service. Oil leak in the centre hitch. ReverseCamera has moisture behind le      | Preventative Maintenance |               | 9206         |
| UDT06    | 18/04/2014 | Air con not working check over system.MEMS W/O 126169                                     | Breakdown                |               | 9282         |
| UDT06    | 20/04/2014 | Daily Service, repaired wiring for air con.MEMS W/O 126225                                | Preventative Maintenance |               | 9318         |
| UDT06    | 27/04/2014 | 500 Hour Service. Cut engine oil filter open & report on,Last service there was a coup    | Preventative Maintenance |               | 9427         |
| UDT06    | 30/04/2014 | Daily service, engine temp checks.MEMS W/O 126572                                         | Preventative Maintenance |               | 9469         |
| UDT06    | 7/05/2014  | Daily Service & checked back pressure 2psiMEMS W/O 126824                                 | Preventative Maintenance |               | 9582         |
| UDT06    | 8/05/2014  | Daily service & park brake faultMEMS W/O 126853                                           | Breakdown                |               | 9599         |
| UDT06    | 9/05/2014  | Daily service & C/O dip switchMEMS W/O 126898                                             | Preventative Maintenance |               | 9612         |
| UDT06    | 11/05/2014 | 250 Hour Service. Pos 1 hub cover leaking (2R0098),Replaced thermostates, repaired        | Preventative Maintenance |               | 9645         |
| UDT06    | 11/05/2014 | Finish of replacing hose after service day.MEMS W/O 126993                                | Corrective Maintenance   |               | 9645         |
| UDT06    | 17/05/2014 | Daily service. Chevked pos 2 wheel nuts.MEMS W/O 127218 T                                 | Preventative Maintenance |               | 9735         |
| UDT06    | 17/05/2014 | P/bkrake lever broken.MEMS W/O 127226                                                     | Breakdown                |               | 9735         |
| UDT06    | 17/05/2014 | Sort out faulty air con system, blower fan motor u/sMEMS W/O 127200                       | Breakdown                |               | 9735         |
| UDT06    | 21/05/2014 | Check serv code, injector fault 11MEMS W/O 127358                                         | Corrective Maintenance   |               | 9808         |
| UDT06    | 21/05/2014 | Daily Service change pos 3 tyre.MEMS W/O 127370                                           | Corrective Maintenance   |               | 9808         |
| UDT06    | 22/05/2014 | Cam shaft u/s 11 lob to WestracMEMS W/O 127701                                            | Breakdown                |               |              |
| UDT06    | 22/05/2014 | Daily service & eng misfire fault Camshaft U/S WESTRACMEMS W/O 127388                     | Breakdown                |               |              |
| UDT06    | 23/05/2014 | Cam shaft u/s 11 lob to WestracMEMS W/O 127703                                            | Breakdown                |               |              |
| UDT06    | 23/05/2014 | Load on float & camshaft U/S To WESTRACMEMS W/O 127427                                    | Preventative Maintenance |               |              |
| UDT06    | 24/05/2014 | Cam shaft u/s 11 lob to WestracMEMS W/O 127705                                            | Breakdown                |               |              |
| UDT06    | 25/05/2014 | Cam shaft u/s 11 lob to WestracMEMS W/O 127706                                            | Breakdown                |               |              |
| UDT06    | 26/05/2014 | Cam shaft u/s 11 lob to WestracMEMS W/O 127707                                            | Breakdown                |               | 9824         |
| UDT06    | 27/05/2014 | Cam shaft u/s 11 lob to WestracMEMS W/O 127709                                            | Breakdown                |               |              |
| UDT06    | 28/05/2014 | Cam shaft u/s 11 lob to WestracMEMS W/O 127710                                            | Breakdown                |               |              |
| UDT06    | 29/05/2014 | Cam shaft u/s 11 lob to WestracMEMS W/O 127711                                            | Breakdown                |               |              |
| UDT06    | 30/05/2014 | Back on site from Westrac Bearing roll & cam shafts replacedMEMS W/O 127712               | Breakdown                |               |              |
| UDT06    | 30/05/2014 | Daily service, check over after back from Westrac.MEMS W/O 127689                         | Preventative Maintenance |               |              |
| UDT06    | 3/06/2014  | Blown hose (Still broken down)MEMS W/O 127850                                             | Breakdown                |               | 9875         |
| UDT06    | 4/06/2014  | Finish off fan hoseMEMS W/O 127885                                                        | Breakdown                |               | 9881         |
| UDT06    | 4/06/2014  | Replaced fan motor hoseMEMS W/O 127864                                                    | Breakdown                |               | 9881         |
| UDT06    | 5/06/2014  | Daily service & globe and alt faultMEMS W/O 127899                                        | Preventative Maintenance |               | 9895         |
| UDT06    | 7/06/2014  | Refit seat lever & reconnect 12V socketMEMS W/O 128001                                    | Preventative Maintenance |               | 9915         |
| UDT06    | 8/06/2014  | 1000 Hour Service, tried to remove Brake cooler pipe whichhad a hole in it (clamp loos    | Preventative Maintenance |               | 9937         |
| UDT06    | 8/06/2014  | Finish fitting Brake cooler pipeMEMS W/O 128022                                           | Breakdown                |               | 9937         |
| UDT06    | 9/06/2014  | Washed truckMEMS W/O 128051                                                               | Corrective Maintenance   |               | 9942         |
| UDT06    | 10/06/2014 | Daily Service & replaced blown globeMEMS W/O 128110                                       | Corrective Maintenance   |               | 9946         |

|       |            |                                                                                              |                          |                                                      |       |
|-------|------------|----------------------------------------------------------------------------------------------|--------------------------|------------------------------------------------------|-------|
| UDT06 | 12/06/2014 | Daily Service & adjust wiper strokeMEMS W/O 128174                                           | Preventative Maintenance |                                                      | 9973  |
| UDT06 | 12/06/2014 | Fit seat arm restMEMS W/O 128183                                                             | Breakdown                |                                                      | 9973  |
| UDT06 | 17/06/2014 | Westrac, Fit VIMS to machine.MEMS W/O 128364                                                 | Corrective Maintenance   |                                                      | 10039 |
| UDT06 | 20/06/2014 | Daily Service, tighten loose tran cooler hose.MEMS W/O 128440                                | Preventative Maintenance |                                                      |       |
| UDT06 | 22/06/2014 | 250 Hour ServiceMEMS W/O 128508                                                              | Preventative Maintenance |                                                      | 10097 |
| UDT06 | 26/06/2014 | Refit throttle pin and check wiper pump mtr us.MEMS W/O 128671                               | Breakdown                |                                                      |       |
| UDT06 | 28/06/2014 | Daily Service & drained hyd oil to correct levelMEMS W/O 128625                              | Preventative Maintenance |                                                      |       |
| UDT06 | 29/06/2014 | Repair wiper washersMEMS W/O 128739                                                          | Corrective Maintenance   |                                                      |       |
| UDT06 | 30/06/2014 | Daily Service & removed busted Botton radiator pipe, weldedup crack MEMS W/O 128739          | Breakdown                |                                                      | 10223 |
| UDT06 | 30/06/2014 | Finish off coolant leakMEMS W/O 128763                                                       | Breakdown                |                                                      | 10223 |
| UDT06 | 1/07/2014  | Daily service & repair window washersMEMS W/O 128794                                         | Preventative Maintenance |                                                      | 10237 |
| UDT06 | 1/07/2014  | Daily service,globe hazard alarmMEMS W/O 128802                                              | Preventative Maintenance |                                                      | 10237 |
| UDT06 | 6/07/2014  | 250 Hour ServiceMEMS W/O 128956                                                              | Preventative Maintenance |                                                      | 10303 |
| UDT06 | 7/07/2014  | Daily Service, repaired washers, cleaned rear cameraMEMS W/O 129008                          | Breakdown                |                                                      |       |
| UDT06 | 9/07/2014  | Replace globe, auto greaser c/o vent valve.MEMS W/O 129103                                   | Corrective Maintenance   |                                                      | 10341 |
| UDT06 | 10/07/2014 | Fit 4 new tyresMEMS W/O 129122                                                               | Corrective Maintenance   |                                                      | 10362 |
| UDT06 | 11/07/2014 | Grind up burrs on machine for kids day.MEMS W/O 129169                                       | Preventative Maintenance |                                                      | 10365 |
| UDT06 | 12/07/2014 | C/O light globeMEMS W/O 129112                                                               | Corrective Maintenance   |                                                      |       |
| UDT06 | 14/07/2014 | Repair cracks in DPFMEMS W/O 129224                                                          | Corrective Maintenance   |                                                      | 10384 |
| UDT06 | 20/07/2014 | 500 Hour ServiceMEMS W/O 129416                                                              | Preventative Maintenance |                                                      | 10472 |
| UDT06 | 20/07/2014 | Start FaultMEMS W/O 129436                                                                   | Breakdown                |                                                      | 10472 |
| UDT06 | 23/07/2014 | C/O Rear camera mounting bolts and check camera alignment.MEMS W/O 129530                    | Corrective Maintenance   |                                                      | 10513 |
| UDT06 | 25/07/2014 | Replaced globeMEMS W/O 129658                                                                | Breakdown                |                                                      | 10543 |
| UDT06 | 29/07/2014 | Replaced transmission hoseMEMS W/O 129728                                                    | Breakdown                |                                                      | 10611 |
| UDT06 | 3/08/2014  | 250 Hour Service & replaced LH steering cylinderMEMS W/O 129894 MEMS Failure Type            | Preventative Maintenance |                                                      | 10678 |
| UDT06 | 7/08/2014  | Replaced blown hose and fixed oil leak under hoist valveblock. MEMS W/O 130001               | Breakdown                |                                                      | 10712 |
| UDT06 | 9/08/2014  | Replace RH mirrorMEMS W/O 130095                                                             | Breakdown                |                                                      | 10727 |
| UDT06 | 10/08/2014 | Repair door strap mountMEMS W/O 130152                                                       | Breakdown                |                                                      | 10734 |
| UDT06 | 11/08/2014 | Change steering orbital hose.MEMS W/O 130188                                                 | Breakdown                |                                                      | 10746 |
| UDT06 | 15/08/2014 | Daily service & T/C temp light faultMEMS W/O 130312                                          | Preventative Maintenance |                                                      | 10811 |
| UDT06 | 15/08/2014 | daily service C/O T/C temp sender & test runMEMS W/O 130324                                  | Breakdown                |                                                      | 10811 |
| UDT06 | 17/08/2014 | 250 Hour Service. RH Steering cylinder leaking from glandseal replaced. Diesel particu       | Preventative Maintenance |                                                      | 10842 |
| UDT06 | 18/08/2014 | Daily Service & replaced high low beam switchMEMS W/O 130413                                 | Breakdown                |                                                      | 10852 |
| UDT06 | 23/08/2014 | Remove blown hose.MEMS W/O 130539                                                            | Breakdown                |                                                      | 10920 |
| UDT06 | 24/08/2014 | C/O brake cooling hose.MEMS W/O 130599                                                       | Breakdown                |                                                      | 10927 |
| UDT06 | 26/08/2014 | Daily Service, fan speed coil.MEMS W/O 130671                                                | Preventative Maintenance |                                                      | 10941 |
| UDT06 | 27/08/2014 | Blown hose on wash pad, change wash run up and check.MEMS W/O 130708                         | Breakdown                |                                                      |       |
| UDT06 | 27/08/2014 | Replace wiring to fan speed solenoid.MEMS W/O 130693                                         | Breakdown                |                                                      |       |
| UDT06 | 31/08/2014 | 1000 Hour Service, replaced LHF corner window 1/4MEMS W/O 130824                             | Preventative Maintenance |                                                      | 11008 |
| UDT06 | 1/09/2014  | Convertor leak, tightened bolts & filled all parked atsurface out of service MEMS W/O 130824 | Breakdown                |                                                      | 11016 |
| UDT06 | 2/09/2014  | Repaired oil leak on convertorMEMS W/O 130868                                                | Breakdown                |                                                      | 11026 |
| UDT06 | 2/09/2014  | Replaced o ring on convertorMEMS W/O 130878                                                  | Breakdown                |                                                      | 11026 |
| UDT06 | 4/09/2014  | Repaired oil leak rear on convertor.MEMS W/O 130917                                          | Breakdown                |                                                      | 11040 |
| UDT06 | 4/09/2014  | Replaced oring on cover plate on bottom of tranny, sealed itup with grey max silicon. M      | Breakdown                |                                                      | 11040 |
| UDT06 | 5/09/2014  | Daily Service & oil leaksMEMS W/O 130976                                                     | Breakdown                |                                                      | 11053 |
| UDT06 | 7/09/2014  | C/O light globe.MEMS W/O 131041                                                              | Corrective Maintenance   |                                                      | 11068 |
| UDT06 | 14/09/2014 | 250 Hour ServiceMEMS W/O 131263                                                              | Preventative Maintenance |                                                      | 11178 |
| UDT06 | 15/09/2014 | Daily Service & repaired wipersMEMS W/O 131291                                               | Preventative Maintenance |                                                      | 11182 |
| UDT06 | 19/09/2014 | Daily service, repairs to front lights, changed out globes.MEMS W/O 131427                   | Breakdown                |                                                      | 11220 |
| UDT06 | 22/09/2014 | Replaced blown hose between suspension cylindersMEMS W/O 131500                              | Breakdown                |                                                      | 11247 |
| UDT06 | 28/09/2014 | 250 Hour Service. Rear diff SOS high metal SOS drain &report on MEMS W/O 131702              | Preventative Maintenance |                                                      | 11334 |
| UDT06 | 28/09/2014 | Park brake coils burnt out & wiringMEMS W/O 131676                                           | Breakdown                |                                                      | 11334 |
| UDT06 | 3/10/2014  | Changed out leaking hose, for front suspension.MEMS W/O 131840                               | Breakdown                |                                                      | 11394 |
| UDT06 | 8/10/2014  | Daily service and C/O window sealsMEMS W/O 131987                                            | Preventative Maintenance |                                                      |       |
| UDT06 | 9/10/2014  | Daily service and A/C repairMEMS W/O 132033                                                  | Preventative Maintenance |                                                      |       |
| UDT06 | 12/10/2014 | 500 Hour Service, tested back pressure 2psi.MEMS W/O 132116                                  | Preventative Maintenance |                                                      |       |
| UDT06 | 14/10/2014 | Repair A/C wiring.MEMS W/O 132209                                                            | Corrective Maintenance   |                                                      |       |
| UDT06 | 10/03/2015 | Adjust Valve Set - Caterpillar AD55B                                                         | Preventative Maintenance |                                                      |       |
| UDT06 | 10/03/2015 | CAT AD55B - Engine Changeout and Rebuild (Contractor)NEW_Engine_Ser_Number: L                | Component Change out     |                                                      |       |
| UDT06 | 10/03/2015 | CAT AD55B - Torque Convertor Change Out (Contractor)                                         | Component Change out     |                                                      |       |
| UDT06 | 13/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 Added 7 ltrs |       |
| UDT06 | 14/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11731 |
| UDT06 | 15/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 Added 7 ltrs |       |
| UDT06 | 16/03/2015 | Brake peddle spongyBleed all brakes OK fixed                                                 | Breakdown                |                                                      | 11761 |
| UDT06 | 16/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11761 |
| UDT06 | 17/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11769 |
| UDT06 | 18/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11777 |
| UDT06 | 18/03/2015 | Hydrauic oil leakReplaced oring on hoist valve                                               | Breakdown                |                                                      | 11777 |
| UDT06 | 19/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 Added 7 ltrs |       |
| UDT06 | 20/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11802 |
| UDT06 | 21/03/2015 | 250 Hour Service - Caterpillar AD55B MEMS PM TASK 520 13-125303-04.prn                       | Preventative Maintenance |                                                      | 11811 |
| UDT06 | 21/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11811 |
| UDT06 | 22/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 Added 7 ltrs |       |
| UDT06 | 23/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 Added 7 ltrs |       |
| UDT06 | 24/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 Added 7 ltrs |       |
| UDT06 | 25/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 Added 7 ltrs |       |
| UDT06 | 26/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11864 |
| UDT06 | 27/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 Added 7 ltrs |       |
| UDT06 | 28/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11894 |
| UDT06 | 29/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11908 |
| UDT06 | 30/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11916 |
| UDT06 | 31/03/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15              | 11932 |
| UDT06 | 1/04/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                               | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 Added 7 ltrs |       |



|       |            |                                                                                           |                          |                                         |              |
|-------|------------|-------------------------------------------------------------------------------------------|--------------------------|-----------------------------------------|--------------|
| UDT06 | 2/04/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 11954        |
| UDT06 | 3/04/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 11958        |
| UDT06 | 4/04/2015  | 1000 Hour Service - Caterpillar AD55BMEMS PM TASK 515 13-125305-04.prn                    | Preventative Maintenance |                                         |              |
| UDT06 | 4/04/2015  | Test Exhaust Back Pressure (max 9 kpa) - Caterpillar AD55B                                | Preventative Maintenance |                                         |              |
| UDT06 | 5/04/2015  | Changed out hyd steel pipe, for hyd fan motor.Washed oil of engine when job complet       | Breakdown                |                                         |              |
| UDT06 | 5/04/2015  | Cracked fan motor hyd pipeHt Shot parts                                                   | Breakdown                |                                         |              |
| UDT06 | 5/04/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 6/04/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 11984        |
| UDT06 | 7/04/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 8/04/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12003        |
| UDT06 | 9/04/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12005        |
| UDT06 | 11/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12029        |
| UDT06 | 12/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12040        |
| UDT06 | 13/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12040        |
| UDT06 | 13/04/2015 | Replace fan hose O ring                                                                   | Breakdown                |                                         | 12040        |
| UDT06 | 14/04/2015 | Oil leak at fan hose                                                                      | Breakdown                |                                         | 12048        |
| UDT06 | 15/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 16/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12049        |
| UDT06 | 17/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12057        |
| UDT06 | 18/04/2015 | 250 Hour Service - Caterpillar AD55BMEMS PM TASK 520 13-125303-04.prn Replace F           | Preventative Maintenance |                                         | 12057        |
| UDT06 | 18/04/2015 | Fuel in the engine oil (Westrac replaced all 12 x injectors)Engine oil & filter replaced. | Breakdown                |                                         | 12057        |
| UDT06 | 19/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12064        |
| UDT06 | 19/04/2015 | Fuel in the engine oil (Westrac replaced all 12 x injectors)Engine oil & filter replaced. | Breakdown                |                                         | 12064        |
| UDT06 | 21/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12064        |
| UDT06 | 21/04/2015 | Fuel in the engine oil (Westrac replaced all 12 x injectors)Engine oil & filter replaced. | Breakdown                |                                         | 12064        |
| UDT06 | 22/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12064        |
| UDT06 | 23/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12071        |
| UDT06 | 24/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12083        |
| UDT06 | 25/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12104        |
| UDT06 | 26/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12107        |
| UDT06 | 26/04/2015 | Replace leaking steer hose                                                                | Breakdown                | Waiting for westrac to make hose        | 12107        |
| UDT06 | 27/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12110        |
| UDT06 | 28/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 30/04/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12117        |
| UDT06 | 1/05/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 2/05/2015  | 250 Hour Service - Caterpillar AD55BMEMS PM TASK 520 13-125303-04.prn                     | Preventative Maintenance |                                         |              |
| UDT06 | 2/05/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 3/05/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 3/05/2015  | Fan current above normal (ECM failure)Westrac out warranty                                | Breakdown                | Replaced ECU                            |              |
| UDT06 | 4/05/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12147        |
| UDT06 | 4/05/2015  | Repaired oil leak on steering cylinder                                                    | Breakdown                |                                         | 12147        |
| UDT06 | 5/05/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12162        |
| UDT06 | 6/05/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12162        |
| UDT06 | 7/05/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12170        |
| UDT06 | 8/05/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12178        |
| UDT06 | 9/05/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                            | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 12187        |

|       |            |                                                                                            |                          |                                   |                                 |              |
|-------|------------|--------------------------------------------------------------------------------------------|--------------------------|-----------------------------------|---------------------------------|--------------|
| UDT06 | 18/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 19/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12710        |
| UDT06 | 20/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12718        |
| UDT06 | 21/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12741        |
| UDT06 | 22/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12759        |
| UDT06 | 23/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12768        |
| UDT06 | 24/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12786        |
| UDT06 | 25/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12801        |
| UDT06 | 26/06/2015 | 250 Hour Service - Caterpillar AD55BMEMS PM TASK 520 13-125303-04.prn                      | Preventative Maintenance |                                   |                                 |              |
| UDT06 | 26/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 27/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 28/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 29/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12848        |
| UDT06 | 30/06/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12857        |
| UDT06 | 1/07/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12874        |
| UDT06 | 2/07/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12889        |
| UDT06 | 3/07/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12907        |
| UDT06 | 3/07/2015  | Replace hand rail2113328                                                                   | Damage                   |                                   |                                 | 12907        |
| UDT06 | 4/07/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12907        |
| UDT06 | 5/07/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12931        |
| UDT06 | 5/07/2015  | Replace quarter window                                                                     | Breakdown                |                                   |                                 | 12931        |
| UDT06 | 6/07/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12945        |
| UDT06 | 7/07/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12961        |
| UDT06 | 8/07/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 9/07/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 12999        |
| UDT06 | 12/07/2015 | Replace RHF mud flapIN STOCK AT 15 LEVEL                                                   | Corrective Maintenance   |                                   |                                 |              |
| UDT06 | 13/07/2015 | 1000 Hour Service - Caterpillar AD55BMEMS PM TASK 515 13-125305-04.prn                     | Preventative Maintenance |                                   |                                 |              |
| UDT06 | 14/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 15/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13045        |
| UDT06 | 15/07/2015 | truck 6 radio faulttruck 6 radio internal speaker u/s. swapped out with shift ute radio. s | Breakdown                |                                   |                                 | 13045        |
| UDT06 | 16/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13061        |
| UDT06 | 17/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13078        |
| UDT06 | 18/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13093        |
| UDT06 | 19/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13109        |
| UDT06 | 20/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13125        |
| UDT06 | 21/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13138        |
| UDT06 | 22/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 23/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13145        |
| UDT06 | 24/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 25/07/2015 | 250 Hour Service - Caterpillar AD55BMEMS PM TASK 520 13-125303-04.prn                      | Preventative Maintenance |                                   |                                 |              |
| UDT06 | 25/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 26/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 27/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13188        |
| UDT06 | 28/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 29/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 30/07/2015 | Change out left hand side mirror and adjust r/h/s damage                                   | Breakdown                |                                   |                                 | 13239        |
| UDT06 | 30/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13239        |
| UDT06 | 31/07/2015 | co 1/4 window                                                                              | Damage                   |                                   |                                 | 13248        |
| UDT06 | 31/07/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13248        |
| UDT06 | 2/08/2015  | c/o faulty reverse light relay and high lowbeam switch                                     | Breakdown                |                                   |                                 |              |
| UDT06 | 2/08/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 3/08/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13287        |
| UDT06 | 4/08/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13302        |
| UDT06 | 5/08/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 6/08/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 7/08/2015  | 250 Hour Service - Caterpillar AD55BMEMS PM TASK 520 13-125303-04.prn                      | Preventative Maintenance |                                   |                                 | 13343        |
| UDT06 | 7/08/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13343        |
| UDT06 | 7/08/2015  | Replace Sliding door glass & seal2126100 door glass 5P5768 seal                            | Damage                   |                                   |                                 | 13343        |
| UDT06 | 8/08/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 9/08/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13378        |
| UDT06 | 10/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 11/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13409        |
| UDT06 | 12/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13425        |
| UDT06 | 13/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13442        |
| UDT06 | 14/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 15/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13470        |
| UDT06 | 15/08/2015 | Repair reverse camera not working                                                          | Breakdown                | Robbed parts off UDT04 to repair. |                                 | 13470        |
| UDT06 | 16/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13480        |
| UDT06 | 17/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13495        |
| UDT06 | 18/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13504        |
| UDT06 | 19/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13520        |
| UDT06 | 20/08/2015 | 500 Hour Service - Caterpillar AD55BMEMS PM TASK 518 13-125304-04.prn                      | Preventative Maintenance |                                   |                                 | 13538        |
| UDT06 | 20/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13538        |
| UDT06 | 20/08/2015 | Test Exhaust Back Pressure (max 9 kpa) - Caterpillar AD55B                                 | Preventative Maintenance |                                   |                                 | 13538        |
| UDT06 | 22/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 23/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 24/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13582        |
| UDT06 | 25/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13618        |
| UDT06 | 26/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13626        |
| UDT06 | 27/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13649        |
| UDT06 | 28/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13666        |
| UDT06 | 29/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                             | Preventative Maintenance | 13/3/15                           | Commisining & retorques 16/3/15 | 13666        |
| UDT06 | 30/08/2015 | C/O blown hyd hose                                                                         | Breakdown                |                                   |                                 |              |

|       |            |                                                                                  |                          |                                         |              |
|-------|------------|----------------------------------------------------------------------------------|--------------------------|-----------------------------------------|--------------|
| UDT06 | 30/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 31/08/2015 | C/O park brake coils.                                                            | Breakdown                |                                         | 13712        |
| UDT06 | 31/08/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13712        |
| UDT06 | 1/09/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13728        |
| UDT06 | 1/09/2015  | Unwedge tub from backs                                                           | Breakdown                |                                         | 13728        |
| UDT06 | 2/09/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13728        |
| UDT06 | 3/09/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13747        |
| UDT06 | 4/09/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 5/09/2015  | 250 Hour Service - Caterpillar AD55BMEMS PM TASK 520 13-125303-04.prn            | Preventative Maintenance |                                         | 13781        |
| UDT06 | 5/09/2015  | Replace broken stud in diff cradle pin                                           | Corrective Maintenance   |                                         | 13781        |
| UDT06 | 6/09/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 8/09/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 9/09/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13809        |
| UDT06 | 10/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13826        |
| UDT06 | 11/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 12/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13852        |
| UDT06 | 13/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13876        |
| UDT06 | 14/09/2015 | CAT AD55B - Tyre Changeout (On Condition)                                        | Corrective Maintenance   |                                         | 13895        |
| UDT06 | 14/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13895        |
| UDT06 | 15/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13911        |
| UDT06 | 16/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13929        |
| UDT06 | 17/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 18/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13962        |
| UDT06 | 19/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13979        |
| UDT06 | 20/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 13998        |
| UDT06 | 21/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14015        |
| UDT06 | 22/09/2015 | 1000 Hour Service - Caterpillar AD55BMEMS PM TASK 515 13-125305-04.prn           | Preventative Maintenance |                                         | 14034        |
| UDT06 | 22/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14034        |
| UDT06 | 23/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14042        |
| UDT06 | 24/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14061        |
| UDT06 | 25/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14079        |
| UDT06 | 26/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14097        |
| UDT06 | 27/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14107        |
| UDT06 | 28/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14125        |
| UDT06 | 29/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14142        |
| UDT06 | 30/09/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14160        |
| UDT06 | 1/10/2015  | C/o pos 1 tyre                                                                   | Breakdown                |                                         | 14179        |
| UDT06 | 1/10/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14179        |
| UDT06 | 2/10/2015  | Auto greaser fault                                                               | Corrective Maintenance   |                                         | 14197        |
| UDT06 | 2/10/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14197        |
| UDT06 | 3/10/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14211        |
| UDT06 | 3/10/2015  | Pos 3 flat tyre                                                                  | Breakdown                |                                         | 14211        |
| UDT06 | 4/10/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14221        |
| UDT06 | 5/10/2015  | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prn | Preventative Maintenance |                                         | 14243        |
| UDT06 | 5/10/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14243        |

|       |            |                                                                                     |                          |                                         |              |
|-------|------------|-------------------------------------------------------------------------------------|--------------------------|-----------------------------------------|--------------|
| UDT06 | 6/11/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14712        |
| UDT06 | 7/11/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14714        |
| UDT06 | 8/11/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14724        |
| UDT06 | 9/11/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14748        |
| UDT06 | 10/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14772        |
| UDT06 | 11/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14782        |
| UDT06 | 13/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 13/11/2015 | weld repairs to seat base                                                           | Breakdown                |                                         |              |
| UDT06 | 14/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 15/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14848        |
| UDT06 | 16/11/2015 | \$Fuel Gauge not reading correctly                                                  | Corrective Maintenance   |                                         | 14864        |
| UDT06 | 16/11/2015 | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prn    | Preventative Maintenance |                                         | 14864        |
| UDT06 | 16/11/2015 | Inspect all Hydraulic hoses,List all main pump Pressure hoses Part # MUST BE PUT ON | Preventative Maintenance |                                         | 14864        |
| UDT06 | 16/11/2015 | Test Exhaust Back Pressure (max 9 kpa) - Caterpillar AD55B                          | Preventative Maintenance |                                         | 14864        |
| UDT06 | 17/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14870        |
| UDT06 | 18/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 19/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 20/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14907        |
| UDT06 | 21/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14917        |
| UDT06 | 22/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14926        |
| UDT06 | 23/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14944        |
| UDT06 | 23/11/2015 | Replace steering relief block housing - Cracked                                     | Corrective Maintenance   |                                         | 14944        |
| UDT06 | 24/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 14961        |
| UDT06 | 25/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 26/11/2015 | 1000 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 515 13-125305-04.prn   | Preventative Maintenance |                                         | 14987        |
| UDT06 | 27/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15002        |
| UDT06 | 27/11/2015 | Replace transmtion filter hose                                                      | Corrective Maintenance   |                                         | 15002        |
| UDT06 | 28/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15018        |
| UDT06 | 29/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15036        |
| UDT06 | 29/11/2015 | Test Exhaust Back Pressure (max 9 kpa) - Caterpillar AD55B                          | Preventative Maintenance |                                         | 15036        |
| UDT06 | 30/11/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15053        |
| UDT06 | 1/12/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15062        |
| UDT06 | 2/12/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15078        |
| UDT06 | 2/12/2015  | Repair oil leaksuction hose 7x7893, clamp 2t2027                                    | Breakdown                |                                         | 15078        |
| UDT06 | 3/12/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 4/12/2015  | C/O Fuel Buffer                                                                     | Corrective Maintenance   |                                         | 15087        |
| UDT06 | 4/12/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15087        |
| UDT06 | 5/12/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15106        |
| UDT06 | 6/12/2015  | Replace hyd hoses3071275,2098840 x 2 3162919, 3071223                               | Preventative Maintenance |                                         | 15115        |
| UDT06 | 7/12/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15118        |
| UDT06 | 8/12/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15125        |
| UDT06 | 9/12/2015  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15149        |
| UDT06 | 9/12/2015  | Find Oil Leak - C/O U/S O-RingWill require hose on service day - Weeping            | Breakdown                |                                         | 15149        |
| UDT06 | 10/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15169        |
| UDT06 | 11/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15179        |
| UDT06 | 12/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 12/12/2015 | Replace leaking hose3092158 5p7468, 8t2525 & 4j0524 x 2 Fit burst sleeve if none on | Corrective Maintenance   |                                         |              |
| UDT06 | 13/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 14/12/2015 | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prn    | Preventative Maintenance |                                         | 15199        |
| UDT06 | 14/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15199        |
| UDT06 | 14/12/2015 | Test Exhaust Back Pressure (max 9 kpa) - Caterpillar AD55B                          | Preventative Maintenance |                                         | 15199        |
| UDT06 | 15/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15210        |
| UDT06 | 16/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | Added 7 ltrs |
| UDT06 | 17/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15243        |
| UDT06 | 17/12/2015 | Replace Headlight switch in dash                                                    | Corrective Maintenance   |                                         | 15243        |
| UDT06 | 18/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15251        |
| UDT06 | 19/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15268        |
| UDT06 | 20/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15276        |
| UDT06 | 21/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15291        |
| UDT06 | 22/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15307        |
| UDT06 | 23/12/2015 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance | 13/3/15 Commisining & retorques 16/3/15 | 15325        |
| UDT06 | 24/12/2015 | Fan motor u/s require C/O                                                           | Breakdown                |                                         | 15334        |
| UDT06 | 2/01/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15356        |
| UDT06 | 3/01/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         |              |
| UDT06 | 4/01/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15364        |
| UDT06 | 4/01/2016  | Repair fuel in eng oil fault                                                        | Corrective Maintenance   |                                         | 15364        |
| UDT06 | 5/01/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15382        |
| UDT06 | 6/01/2016  | \$C/O 1/4 window (LH).                                                              | Corrective Maintenance   |                                         | 15398        |
| UDT06 | 6/01/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15398        |
| UDT06 | 7/01/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15412        |
| UDT06 | 8/01/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         |              |
| UDT06 | 9/01/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15435        |
| UDT06 | 10/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15443        |
| UDT06 | 11/01/2016 | 500 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 518 13-125304-04.prn    | Preventative Maintenance |                                         | 15453        |
| UDT06 | 12/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         |              |
| UDT06 | 13/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15469        |
| UDT06 | 13/01/2016 | tighten r/h mirror assy                                                             | Breakdown                |                                         | 15469        |
| UDT06 | 14/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15485        |
| UDT06 | 18/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         |              |
| UDT06 | 19/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15520        |
| UDT06 | 20/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15539        |
| UDT06 | 21/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         | 15547        |
| UDT06 | 22/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                      | Preventative Maintenance |                                         |              |



|       |            |                                                                                  |                          |       |
|-------|------------|----------------------------------------------------------------------------------|--------------------------|-------|
| UDT06 | 25/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15572 |
| UDT06 | 26/01/2016 | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prn | Preventative Maintenance | 15590 |
| UDT06 | 26/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15590 |
| UDT06 | 27/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15605 |
| UDT06 | 28/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15621 |
| UDT06 | 29/01/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15640 |
| UDT06 | 1/02/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 2/02/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15667 |
| UDT06 | 3/02/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 4/02/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15703 |
| UDT06 | 8/02/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 9/02/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 10/02/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15744 |
| UDT06 | 12/02/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15771 |
| UDT06 | 15/02/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 16/02/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15798 |
| UDT06 | 17/02/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15815 |
| UDT06 | 18/02/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 20/02/2016 | Adjust Valve Set - Caterpillar AD55B                                             | Preventative Maintenance |       |
| UDT06 | 22/02/2016 | Replace Turbo water line3091778                                                  | Breakdown                |       |
| UDT06 | 23/02/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15870 |
| UDT06 | 24/02/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15873 |
| UDT06 | 25/02/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15890 |
| UDT06 | 29/02/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 1/03/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15935 |
| UDT06 | 7/03/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 8/03/2016  | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prn | Preventative Maintenance | 15970 |
| UDT06 | 9/03/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15970 |
| UDT06 | 10/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 11/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 15994 |
| UDT06 | 14/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 14/03/2016 | Westrac out to check fuel in engine oil                                          | Corrective Maintenance   |       |
| UDT06 | 15/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16010 |
| UDT06 | 16/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 17/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 18/03/2016 | Cab fan not blowing                                                              | Breakdown                | 16041 |
| UDT06 | 21/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 22/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 23/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16076 |
| UDT06 | 26/03/2016 | pump up pos 1 tyre                                                               | Breakdown                |       |
| UDT06 | 28/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 29/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16148 |
| UDT06 | 30/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16157 |
| UDT06 | 31/03/2016 | a/c fault                                                                        | Breakdown                |       |
| UDT06 | 31/03/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 1/04/2016  | air con faultReplace pressure switch on compressor Rag                           | Breakdown                |       |
| UDT06 | 4/04/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 4/04/2016  | Replace rear window                                                              | Corrective Maintenance   |       |
| UDT06 | 6/04/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16233 |
| UDT06 | 7/04/2016  | a/c fault                                                                        | Breakdown                |       |
| UDT06 | 7/04/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 11/04/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 11/04/2016 | pump up tyre                                                                     | Corrective Maintenance   |       |
| UDT06 | 12/04/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16253 |
| UDT06 | 13/04/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 14/04/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16276 |
| UDT06 | 18/04/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 18/04/2016 | Test Exhaust Back Pressure (max 9 kpa) - Caterpillar AD55B                       | Preventative Maintenance |       |
| UDT06 | 21/04/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 25/04/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 25/04/2016 | pump up low tyre pressures                                                       | Corrective Maintenance   |       |
| UDT06 | 26/04/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16321 |
| UDT06 | 27/04/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16338 |
| UDT06 | 28/04/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16354 |
| UDT06 | 2/05/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 2/05/2016  | pump up pos1 tyre                                                                | Breakdown                |       |
| UDT06 | 3/05/2016  | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prn | Preventative Maintenance | 16393 |
| UDT06 | 4/05/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16402 |
| UDT06 | 5/05/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16418 |
| UDT06 | 5/05/2016  | Replace Missing Cab side Mirror.                                                 | Damage                   | 16418 |
| UDT06 | 9/05/2016  | Auto grease Fault.                                                               | Corrective Maintenance   |       |
| UDT06 | 9/05/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 9/05/2016  | Refit Window (Door / Sliding).                                                   | Breakdown                |       |
| UDT06 | 10/05/2016 | auto greaser faultC/o pressure switch                                            | Breakdown                | 16460 |
| UDT06 | 10/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16460 |
| UDT06 | 11/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16478 |
| UDT06 | 12/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16496 |
| UDT06 | 13/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16515 |
| UDT06 | 16/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 17/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16540 |
| UDT06 | 18/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 16549 |
| UDT06 | 19/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 22/05/2016 | pump up low pos 1 tyre                                                           | Corrective Maintenance   |       |

|       |            |                                                                                        |                          |       |
|-------|------------|----------------------------------------------------------------------------------------|--------------------------|-------|
| UDT06 | 23/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16605 |
| UDT06 | 24/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16622 |
| UDT06 | 25/05/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16636 |
| UDT06 | 26/05/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 27/05/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 29/05/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 30/05/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 31/05/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                | 16659 |
| UDT06 | 1/06/2016  | push on float                                                                          | Breakdown                |       |
| UDT06 | 1/06/2016  | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 2/06/2016  | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 3/06/2016  | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 4/06/2016  | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 5/06/2016  | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 6/06/2016  | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 7/06/2016  | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 8/06/2016  | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 9/06/2016  | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 10/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 11/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 13/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 14/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 15/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 16/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 17/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 18/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 19/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 20/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 21/06/2016 | UDT06 Fire Incident Work-includes, towing out of Mine, hours for event and all costs a | Breakdown                |       |
| UDT06 | 14/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 15/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 15826 |
| UDT06 | 16/11/2016 | c/o wiggins fitting                                                                    | Breakdown                | 15839 |
| UDT06 | 16/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 15839 |
| UDT06 | 17/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 15854 |
| UDT06 | 18/11/2016 | Fit tub up alarm                                                                       | Corrective Maintenance   |       |
| UDT06 | 19/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 20/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 15890 |
| UDT06 | 21/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 22/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 15899 |
| UDT06 | 23/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 15912 |
| UDT06 | 23/11/2016 | Parkbrake come on in decline/c/o bottom parkbrake coil                                 | Breakdown                | 15912 |
| UDT06 | 24/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 15928 |
| UDT06 | 26/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 27/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 28/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 15973 |
| UDT06 | 29/11/2016 | 2 Weekly Service - Caterpillar AD558 - DayshiftMEMS PM TASK 520 13-125302-04.prm       | Preventative Maintenance | 15981 |
| UDT06 | 30/11/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 15989 |
| UDT06 | 1/12/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16006 |
| UDT06 | 2/12/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16023 |
| UDT06 | 5/12/2016  | C/o brake valve solinoid.                                                              | Corrective Maintenance   | 16032 |
| UDT06 | 5/12/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16032 |
| UDT06 | 6/12/2016  | action alarm come on engine overheating, checked coolant hoses out radiator            | Breakdown                | 16041 |
| UDT06 | 6/12/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16041 |
| UDT06 | 7/12/2016  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16057 |
| UDT06 | 7/12/2016  | park brake not releasing bottom coil and spool needs replacing                         | Breakdown                | 16057 |
| UDT06 | 8/12/2016  | Drain trans oil to correct level. Clear codes.                                         | Corrective Maintenance   |       |
| UDT06 | 9/12/2016  | Replaced Pos 1 wheel end Leaking Warranty                                              | Breakdown                |       |
| UDT06 | 10/12/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 11/12/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 11/12/2016 | Retorque Pos 1 Wheel MOS.                                                              | Corrective Maintenance   |       |
| UDT06 | 12/12/2016 | low brake pressure faults bleed up front brake system from pos 1 wheel end c/o         | Breakdown                | 16103 |
| UDT06 | 14/12/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16119 |
| UDT06 | 15/12/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16138 |
| UDT06 | 15/12/2016 | Service Code on Dash? Replace faulting Sensors. C/O Tranny pressure SW and Service     | Corrective Maintenance   | 16138 |
| UDT06 | 18/12/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16176 |
| UDT06 | 19/12/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 20/12/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16192 |
| UDT06 | 21/12/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 22/12/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16229 |
| UDT06 | 23/12/2016 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16238 |
| UDT06 | 2/01/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 2/01/2017  | Retorque on pos 1 wheel end mt bolts                                                   | Preventative Maintenance |       |
| UDT06 | 4/01/2017  | C/O both park brake coils.                                                             | Breakdown                | 16266 |
| UDT06 | 4/01/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16266 |
| UDT06 | 5/01/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16284 |
| UDT06 | 6/01/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 9/01/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 10/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16322 |
| UDT06 | 11/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16342 |
| UDT06 | 12/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16357 |
| UDT06 | 13/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance | 16375 |
| UDT06 | 16/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                         | Preventative Maintenance |       |
| UDT06 | 16/01/2017 | Rectify fuel in engine oil Westrac                                                     | Corrective Maintenance   |       |

|       |            |                                                                                   |                          |       |
|-------|------------|-----------------------------------------------------------------------------------|--------------------------|-------|
| UDT06 | 17/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16388 |
| UDT06 | 18/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16398 |
| UDT06 | 20/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16426 |
| UDT06 | 21/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 23/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 24/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16446 |
| UDT06 | 25/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16456 |
| UDT06 | 26/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16473 |
| UDT06 | 27/01/2017 | Replace broken window                                                             | Corrective Maintenance   | 16494 |
| UDT06 | 30/01/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 1/02/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16515 |
| UDT06 | 2/02/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16529 |
| UDT06 | 3/02/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16533 |
| UDT06 | 6/02/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 7/02/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16548 |
| UDT06 | 8/02/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16565 |
| UDT06 | 9/02/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16577 |
| UDT06 | 10/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16596 |
| UDT06 | 12/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 13/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 14/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16611 |
| UDT06 | 15/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16629 |
| UDT06 | 16/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 17/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16657 |
| UDT06 | 20/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 21/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16676 |
| UDT06 | 22/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16693 |
| UDT06 | 23/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16716 |
| UDT06 | 23/02/2017 | Replace fan Coil and ValveCoil 1612128 Solenoid 1924370 Complete compensator coil | Corrective Maintenance   | 16716 |
| UDT06 | 24/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 27/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 28/02/2017 | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prn  | Preventative Maintenance | 16735 |
| UDT06 | 28/02/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16735 |
| UDT06 | 1/03/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16738 |
| UDT06 | 2/03/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 4/03/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 9/03/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 10/03/2017 | C/O LHF light globe.                                                              | Corrective Maintenance   | 16806 |
| UDT06 | 10/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16806 |
| UDT06 | 13/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 14/03/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prn  | Preventative Maintenance | 16823 |
| UDT06 | 15/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16831 |
| UDT06 | 16/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 17/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16867 |
| UDT06 | 20/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 21/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16879 |
| UDT06 | 22/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16889 |
| UDT06 | 23/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 24/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16915 |
| UDT06 | 27/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 27/03/2017 | Repair fuel isolator fault.Replaced fuel cap.                                     | Corrective Maintenance   |       |
| UDT06 | 28/03/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prn  | Preventative Maintenance | 16929 |
| UDT06 | 28/03/2017 | jumpstart                                                                         | Breakdown                | 16929 |
| UDT06 | 29/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16936 |
| UDT06 | 30/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 31/03/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16960 |
| UDT06 | 1/04/2017  | C/O 2 X batteries                                                                 | Corrective Maintenance   | 16968 |
| UDT06 | 3/04/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 4/04/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16984 |
| UDT06 | 5/04/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 16992 |
| UDT06 | 6/04/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 7/04/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 10/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 11/04/2017 | 1000 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 515 13-125305-04.prn | Preventative Maintenance | 17063 |
| UDT06 | 11/04/2017 | Test Exhaust Back Pressure (max 9 kpa) - Caterpillar AD55B                        | Preventative Maintenance | 17063 |
| UDT06 | 12/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 17072 |
| UDT06 | 12/04/2017 | Truck ran out of fuel.                                                            | Breakdown                | 17072 |
| UDT06 | 13/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 14/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 17101 |
| UDT06 | 17/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 18/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 17126 |
| UDT06 | 19/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 17145 |
| UDT06 | 20/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 22/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 24/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 25/04/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prn  | Preventative Maintenance | 17195 |
| UDT06 | 26/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 17204 |
| UDT06 | 27/04/2017 | Blown Hose.                                                                       | Breakdown                |       |
| UDT06 | 27/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 28/04/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 17241 |
| UDT06 | 1/05/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 2/05/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 17248 |
| UDT06 | 3/05/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 17259 |

|       |            |                                                                                             |                          |  |       |
|-------|------------|---------------------------------------------------------------------------------------------|--------------------------|--|-------|
| UDT06 | 8/05/2017  | Truck Caught FireWestrac out to do wiring to start truck to find cause. Replace blown fuses | Breakdown                |  |       |
| UDT06 | 22/05/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 24/05/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prn            | Preventative Maintenance |  | 17311 |
| UDT06 | 24/05/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17311 |
| UDT06 | 25/05/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 26/05/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 29/05/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 31/05/2017 | Oil Leak from Fan Motor.Re seal.                                                            | Breakdown                |  |       |
| UDT06 | 1/06/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 5/06/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 6/06/2017  | 500 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 518 13-125304-04.prn            | Preventative Maintenance |  | 17442 |
| UDT06 | 6/06/2017  | Replacefuel temp sensor 2644297                                                             | Corrective Maintenance   |  | 17442 |
| UDT06 | 7/06/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17451 |
| UDT06 | 7/06/2017  | oil leaks steer valve                                                                       | Breakdown                |  | 17451 |
| UDT06 | 8/06/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17469 |
| UDT06 | 8/06/2017  | Repair steering valve leak.                                                                 | Breakdown                |  | 17469 |
| UDT06 | 9/06/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 12/06/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 14/06/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 15/06/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17552 |
| UDT06 | 15/06/2017 | park brake fault c/o aba and iba switchers                                                  | Breakdown                |  | 17552 |
| UDT06 | 16/06/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 19/06/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 20/06/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prn            | Preventative Maintenance |  | 17590 |
| UDT06 | 20/06/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prn            | Preventative Maintenance |  | 17590 |
| UDT06 | 21/06/2017 | Retorque all Wheels.                                                                        | Corrective Maintenance   |  | 17600 |
| UDT06 | 23/06/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17634 |
| UDT06 | 24/06/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 26/06/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 27/06/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17658 |
| UDT06 | 28/06/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17677 |
| UDT06 | 3/07/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 4/07/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17727 |
| UDT06 | 5/07/2017  | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prn            | Preventative Maintenance |  |       |
| UDT06 | 5/07/2017  | engine exhaust very smokeyWestrac replaced all injector orings 12 cylinders                 | Breakdown                |  |       |
| UDT06 | 6/07/2017  | Adjust Valve Set - Caterpillar AD55B                                                        | Preventative Maintenance |  |       |
| UDT06 | 7/07/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17732 |
| UDT06 | 8/07/2017  | Repair fuel cap isolator system                                                             | Corrective Maintenance   |  |       |
| UDT06 | 10/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 11/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17735 |
| UDT06 | 14/07/2017 | CAT AD55B - Fuel Injectors Assy Changeout                                                   | Component Change out     |  |       |
| UDT06 | 15/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 18/07/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prn            | Preventative Maintenance |  | 17741 |
| UDT06 | 18/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17741 |
| UDT06 | 18/07/2017 | Drain eng oil                                                                               | Breakdown                |  | 17741 |
| UDT06 | 19/07/2017 | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prn            | Preventative Maintenance |  | 17751 |
| UDT06 | 19/07/2017 | clean and flip dpfwash out cataletic converter                                              | Corrective Maintenance   |  | 17751 |
| UDT06 | 19/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17751 |
| UDT06 | 20/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 22/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 24/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17789 |
| UDT06 | 25/07/2017 | Check POS 4 tyre pressure.                                                                  | Corrective Maintenance   |  | 17807 |
| UDT06 | 25/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17807 |
| UDT06 | 26/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17824 |
| UDT06 | 27/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 28/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17848 |
| UDT06 | 31/07/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 31/07/2017 | Recharge AFFF.Try to find Slow leak??? Check all connections.                               | Corrective Maintenance   |  |       |
| UDT06 | 1/08/2017  | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prn            | Preventative Maintenance |  | 17872 |
| UDT06 | 2/08/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 3/08/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17886 |
| UDT06 | 4/08/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 7/08/2017  | c/o a/c blower motor failed                                                                 | Breakdown                |  |       |
| UDT06 | 8/08/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 9/08/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17938 |
| UDT06 | 10/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 17956 |
| UDT06 | 14/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 15/08/2017 | 1000 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 515 13-125305-04.prn           | Preventative Maintenance |  | 17997 |
| UDT06 | 16/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 18006 |
| UDT06 | 17/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 18017 |
| UDT06 | 21/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 22/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 18050 |
| UDT06 | 23/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 25/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 18099 |
| UDT06 | 26/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 28/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 29/08/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prn            | Preventative Maintenance |  | 18125 |
| UDT06 | 29/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 18125 |
| UDT06 | 30/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 18149 |
| UDT06 | 31/08/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 3/09/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  |       |
| UDT06 | 4/09/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 18174 |
| UDT06 | 5/09/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                              | Preventative Maintenance |  | 18192 |



|       |            |                                                                                   |                          |       |
|-------|------------|-----------------------------------------------------------------------------------|--------------------------|-------|
| UDT06 | 6/09/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 7/09/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 11/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 12/09/2017 | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prm  | Preventative Maintenance | 18259 |
| UDT06 | 13/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18267 |
| UDT06 | 14/09/2017 | C/O LH low beam globe, reset circuit breaker for LH lights.                       | Corrective Maintenance   | 18282 |
| UDT06 | 14/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18282 |
| UDT06 | 15/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18299 |
| UDT06 | 17/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 18/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18321 |
| UDT06 | 19/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 20/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18347 |
| UDT06 | 21/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 21/09/2017 | inspect hydro leak, tank was overfull                                             | Breakdown                |       |
| UDT06 | 25/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 26/09/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prm  | Preventative Maintenance | 18405 |
| UDT06 | 26/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18405 |
| UDT06 | 27/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18419 |
| UDT06 | 28/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18429 |
| UDT06 | 29/09/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 2/10/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 2/10/2017  | Fuel in engine oil                                                                | Corrective Maintenance   |       |
| UDT06 | 3/10/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 4/10/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 9/10/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 10/10/2017 | 500 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 518 13-125304-04.prm  | Preventative Maintenance | 18528 |
| UDT06 | 11/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18536 |
| UDT06 | 12/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18553 |
| UDT06 | 13/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18571 |
| UDT06 | 16/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18585 |
| UDT06 | 17/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18607 |
| UDT06 | 18/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 19/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18624 |
| UDT06 | 20/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 23/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 24/10/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prm  | Preventative Maintenance | 18663 |
| UDT06 | 25/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18672 |
| UDT06 | 26/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 27/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 29/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 30/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18720 |
| UDT06 | 31/10/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18735 |
| UDT06 | 1/11/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 2/11/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18763 |
| UDT06 | 6/11/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 7/11/2017  | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prm  | Preventative Maintenance | 18803 |
| UDT06 | 8/11/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 9/11/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 10/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18826 |
| UDT06 | 13/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18860 |
| UDT06 | 13/11/2017 | Tagged Out? Check fault codes and run up.                                         | Breakdown                | 18860 |
| UDT06 | 14/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 15/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18863 |
| UDT06 | 16/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18880 |
| UDT06 | 17/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 20/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 21/11/2017 | 2 Weekly Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125302-04.prm  | Preventative Maintenance | 18914 |
| UDT06 | 22/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18915 |
| UDT06 | 24/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 26/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 27/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 28/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 18992 |
| UDT06 | 29/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 19000 |
| UDT06 | 30/11/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 1/12/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 19034 |
| UDT06 | 3/12/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 4/12/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 5/12/2017  | 1000 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 515 13-125305-04.prm | Preventative Maintenance | 19065 |
| UDT06 | 6/12/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 7/12/2017  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 10/12/2017 | Air seat not pumping up?                                                          | Breakdown                |       |
| UDT06 | 13/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 19156 |
| UDT06 | 14/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 15/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 16/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 19201 |
| UDT06 | 17/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 18/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 19225 |
| UDT06 | 19/12/2017 | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prm  | Preventative Maintenance | 19241 |
| UDT06 | 20/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance | 19250 |
| UDT06 | 21/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 22/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 23/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                    | Preventative Maintenance |       |
| UDT06 | 23/12/2017 | Wedged in Mo Sp5 Tow out.                                                         | Damage                   |       |

|       |            |                                                                                  |                          |       |
|-------|------------|----------------------------------------------------------------------------------|--------------------------|-------|
| UDT06 | 24/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 24/12/2017 | Shut down fault?Overtemp Active Code 036-110.03 Replace Coolant sensor.          | Breakdown                |       |
| UDT06 | 28/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 29/12/2017 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 2/01/2018  | 2 Weekly Service - Caterpillar AD55B - Dayshift 13-125302-04.prn                 | Preventative Maintenance |       |
| UDT06 | 4/01/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19335 |
| UDT06 | 5/01/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 6/01/2018  | Action Alarm.Reset logged codes.                                                 | Breakdown                |       |
| UDT06 | 6/01/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 7/01/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 8/01/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 9/01/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19381 |
| UDT06 | 10/01/2018 | a/c not working, low on gas                                                      | Breakdown                |       |
| UDT06 | 10/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 11/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 12/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 13/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 14/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 15/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19418 |
| UDT06 | 16/01/2018 | 500 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 518 13-125304-04.prn | Preventative Maintenance |       |
| UDT06 | 17/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19435 |
| UDT06 | 18/01/2018 | CAT AD55B - Tyre Changeout Replace all 4 tyres with New.13-120011-01.prn         | Corrective Maintenance   |       |
| UDT06 | 18/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 19/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19439 |
| UDT06 | 20/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 21/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 22/01/2018 | Reseal Fan Motor.O-Ring on steel pipe blown out.                                 | Breakdown                |       |
| UDT06 | 23/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19475 |
| UDT06 | 24/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 25/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19506 |
| UDT06 | 26/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19517 |
| UDT06 | 27/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 27/01/2018 | tighten loose fan motor fitting                                                  | Breakdown                |       |
| UDT06 | 28/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 30/01/2018 | 2 Weekly Service - Caterpillar AD55B - Dayshift 13-125302-04.prn                 | Preventative Maintenance | 19555 |
| UDT06 | 31/01/2018 | C/O LH low beam globe.                                                           | Corrective Maintenance   |       |
| UDT06 | 31/01/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 1/02/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19573 |
| UDT06 | 2/02/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 3/02/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 4/02/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 5/02/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19607 |
| UDT06 | 6/02/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 8/02/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 9/02/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 10/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 11/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 12/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19669 |
| UDT06 | 13/02/2018 | 2 Weekly Service - Caterpillar AD55B - Dayshift 13-125302-04.prn                 | Preventative Maintenance |       |
| UDT06 | 13/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 14/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19689 |
| UDT06 | 15/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 16/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 16/02/2018 | leaking coolant hose                                                             | Corrective Maintenance   |       |
| UDT06 | 17/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 18/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19755 |
| UDT06 | 19/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 20/02/2018 | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prn | Preventative Maintenance |       |
| UDT06 | 20/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 21/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 22/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 23/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19783 |
| UDT06 | 24/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 25/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 26/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19824 |
| UDT06 | 27/02/2018 | 2 Weekly Service - Caterpillar AD55B - Dayshift 13-125302-04.prn                 | Preventative Maintenance |       |
| UDT06 | 28/02/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 2/03/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 3/03/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 4/03/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 5/03/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 6/03/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19872 |
| UDT06 | 6/03/2018  | Inspect Oil Leak?                                                                | Corrective Maintenance   | 19872 |
| UDT06 | 7/03/2018  | CAT AD55B - Tyre Changeout (On Condition)13-120011-01.prn                        | Breakdown                | 19885 |
| UDT06 | 7/03/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 8/03/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 10/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 11/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 12/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19941 |
| UDT06 | 13/03/2018 | 2 Weekly Service - Caterpillar AD55B - Dayshift 13-125302-04.prn                 | Preventative Maintenance |       |
| UDT06 | 13/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |
| UDT06 | 14/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance | 19958 |
| UDT06 | 15/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |       |

|       |            |                                                                                  |                          |  |       |
|-------|------------|----------------------------------------------------------------------------------|--------------------------|--|-------|
| UDT06 | 16/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 19971 |
| UDT06 | 17/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 18/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 19/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 19998 |
| UDT06 | 20/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 21/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20021 |
| UDT06 | 22/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 23/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20033 |
| UDT06 | 24/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 25/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 26/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20065 |
| UDT06 | 27/03/2018 | 1000 Hour Service - Caterpillar AD55B - DayshiftENGINE OIL AND FILTER ARE DONE   | Preventative Maintenance |  |       |
| UDT06 | 28/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20082 |
| UDT06 | 31/03/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 1/04/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 2/04/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 3/04/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20136 |
| UDT06 | 4/04/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20154 |
| UDT06 | 5/04/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 7/04/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 8/04/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 9/04/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20218 |
| UDT06 | 10/04/2018 | 250 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 520 13-125303-04.prn | Preventative Maintenance |  | 20231 |
| UDT06 | 11/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 12/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 13/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 14/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 16/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 17/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20286 |
| UDT06 | 18/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 19/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 20/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 21/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 22/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 23/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20358 |
| UDT06 | 24/04/2018 | 2 Weekly Service - Caterpillar AD55B - Dayshift 13-125302-04.prn                 | Preventative Maintenance |  |       |
| UDT06 | 25/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 25/04/2018 | resal trany filter housing                                                       | Corrective Maintenance   |  |       |
| UDT06 | 26/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20375 |
| UDT06 | 27/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20392 |
| UDT06 | 28/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 28/04/2018 | Replace u/s coil                                                                 | Corrective Maintenance   |  |       |
| UDT06 | 29/04/2018 | c/o fuel filter housing                                                          | Breakdown                |  |       |
| UDT06 | 29/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 29/04/2018 | park brake fault, fill up trans oil'                                             | Breakdown                |  |       |
| UDT06 | 30/04/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20414 |
| UDT06 | 30/04/2018 | resal fan pump test fitting                                                      | Breakdown                |  | 20414 |
| UDT06 | 1/05/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20423 |
| UDT06 | 2/05/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 3/05/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 4/05/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 5/05/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 6/05/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 8/05/2018  | 500 Hour Service - Caterpillar AD55B - DayshiftMEMS PM TASK 518 13-125304-04.prn | Preventative Maintenance |  | 20504 |
| UDT06 | 8/05/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20504 |
| UDT06 | 9/05/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20509 |
| UDT06 | 9/05/2018  | Repair oil leak and horn fault                                                   | Breakdown                |  | 20509 |
| UDT06 | 10/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20522 |
| UDT06 | 11/05/2018 | Repair oil leak                                                                  | Breakdown                |  |       |
| UDT06 | 12/05/2018 | Not starting, Fuel cap Isolator...Bypass behind dash                             | Breakdown                |  |       |
| UDT06 | 13/05/2018 | a/c electrical fault                                                             | Breakdown                |  |       |
| UDT06 | 14/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20577 |
| UDT06 | 15/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20585 |
| UDT06 | 16/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 17/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 18/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 19/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 20/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 21/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20666 |
| UDT06 | 22/05/2018 | 2 Weekly Service - Caterpillar AD55B - Dayshift 13-125302-04.prn                 | Preventative Maintenance |  |       |
| UDT06 | 22/05/2018 | Tyre Rotation Every 1500 Engine Hours THEY NEED ROTATION13-120011-01.prn         | Preventative Maintenance |  |       |
| UDT06 | 23/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20682 |
| UDT06 | 24/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 25/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 26/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 27/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20706 |
| UDT06 | 28/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 29/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 30/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 31/05/2018 | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 5/06/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  |       |
| UDT06 | 6/06/2018  | Daily Service - UDT06***PLEASE DO NOT CLOSE THIS WORK ORDER***                   | Preventative Maintenance |  | 20779 |